

# DWM D6DH5-350X-AWM/D (x2) & D6DH4-350X-AWM/D (x1)

## Specifications

Brand	DWM
Type	D6DH5-350X-AWM/D (x2) & D6DH4-350X-AWM/D (x1)
Refrigerant	Freon
kW at 0°C/+40°C	265,7
kW at -5°C/+40°C	222,0
kW at -10°C/+40°C	184,0
kW at -20°C/+40°C	122,7
kW at -30°C/+40°C	77,2
On steel base frame	✓
Pressure safety switches	✓
Hp/Lp/Op	
Pressure gauges	✓
Hp/Lp/Op	
Condensing pressure switches	✓
Liquid receiver	✓
Oil separator	✓
Liquid line filter drier	✓
m <sup>3</sup> / h	318,9
Package / Rack	✓
Sizes	3080x1500x1900 mm (LxWxH)
Stock	1



## Description

### Used DWM D6DH5-350X-AWM/D (x2) & D6DH4-350X-AWM/D (x1)

Used DWM D6DH5-350X-AWM/D (x2) & D6DH4-350X-AWM/D (x1) semi-hermetic reciprocating compressor rack on Freon. Complete with an Outokumpu BSV 160 liquid receiver, Henry S-1903-CE oil separator, Henry S-9104-CE oil reservoir, liquid line filter drier, and pressure and safety switches/gauges. The compressors have a total displacement of 318,9 m<sup>3</sup>/h.

\*Why choose for HOSBV? We are not only the largest used refrigeration specialist in Europe, but also, we deliver all equipment including an extensive test, warranty, and industrial cleaning. \*Optional we can also



perform a new paint job and arrange  
the logistics.









