

Carrier 30 RBS 160

Specifications

Brand	Carrier
Туре	30 RBS 160
Product type	Air Cooled Chiller
Capacity kW	157,1
Capacity Tons	44,7
Refrigerant	Freon
Refrigerant Type	R410a
Pump	1
Weight in kg.	1012 kg
Sizes	2100x2270x1330 mm
	(LxWxH)
Compressor(s) type &	x4 Copeland ZP182KQE-
model	TFD-604
Display	Carrier Pro-Dialog Plus
Number of fans	2
Fan specifications	50 Hz - 970/480 RPM -
	1,4/0,2 kW
Remarks	Y.o.b. 2012
Stock	1



Description

Used Carrier 30 RBS 160

Used Carrier 30 RBS 160 air-cooled chiller on R410A. Complete with 4 Copeland ZP182KQE-TFD-604 scroll compressors, condenser with 2 fans -50 Hz - 1,4/0,2 kW - 970/480 RPM and a total airflow of 38.160 m³/h, plate heat exchanger as evaporator, Grundfos ERCDAC 30-142 water pump and a control panel with a Carrier Pro-Dialog Plus display.

*All components of this used chiller will be tested and in good working, leakfree condition (condensing blocks, compressors, fans, control panel, etc.). Choosing HOS BV means buying with warranty. We perform an industrial cleaning and rust spots will be covered. Also, we can arrange your shipment.















































Carrier Cla	oteur type: 3PM asse F/68.5 C ODEL: PA0AAC	amb.	6/12	(€
1P 55 S1 21.2 kg	N° de série:	08811CH	Année:	2011
VOLTS-ph-Hz	min-1 KW cos φ			AMPERES
Y400V-3PH-50Hz Y400V-3PH-50Hz	970 480	1.4 0.19	0.57	4.3
IEC 60024 4 11	00PPG00046	4600A N		HINA
Contraction of the local division of the loc		1		
			-	19-5
	and in the	1		
Manager and State	-	and the second		