

Goedhart KOAL 76L/5-6P

Specifications

| Brand | Goedhart |
|------------------|--------------------------|
| Туре | KOAL 76L/5-6P |
| Product type | Drycooler |
| kW | 334,3* |
| Number of Fans | 5 |
| RPM of the Fans | 915/1125 |
| Refrigerant | Glycol |
| Air Flow in m³/h | 85.600 |
| diameter fans Ø | 760 mm |
| Surface (m2) | 772,8 |
| Tube volume | 80 dm³ |
| Sizes | 8800x1150x1120 mm |
| | (LxWxH) |
| Weight | 810 kg |
| Remarks | Y.o.b. 2000 |
| Remarks | *Capacity is based on a |
| | medium inlet |
| | temperature of 50°C and |
| | an outlet temperature of |
| | 40°C |
| Stock | 3 |
| | |



Description

Used Goedhart KOAL 76L/5-6P

Used Goedhart KOAL 76L/5-6P. Complete with 5 Leroy Somer LS90S T fans - 50/60 Hz - 0,75/0,90 kW -915/1125 RPM - diameter 760 mm and a total airflow of 85.600 m³/h. The current condenser will be converted into a drycooler and the appropriate flanges will be installed. The drycooler has a capacity of 334,3kW with a medium inlet temperature of 50°C and an outlet temperature of 40°C. *All components of this used condensors will be tested on good working, leak free condition (electro engines), condensing block, bearings. Choosing HOSBV means buying with warranty. We perform a industrial cleaning and rust spots will be covered. Also, we can arrange your shipment.



Your partner for used commercial and industrial refrigeration equipment
















Your partner for used commercial and industrial refrigeration equipment











Your partner for used commercial and industrial refrigeration equipment

