

## Güntner S-AGVH 090.2A/2x5-N(D)

### **Specifications**

Brand	Güntner
Туре	S-AGVH 090.2A/2x5-N(D)
Product type	Drycooler
kW	859,6*
Number of Fans	10
RPM of the Fans	890/700
Refrigerant	Glycol
Air Flow in m <sup>3</sup> /h	279.000
diameter fans Ø	910 mm
Surface (m2)	2504 m <sup>2</sup>
Tube volume	227,9_10,2 dm <sup>3</sup>
Sizes	10000x2300x1430 mm
	(LxWxH)
Remarks	Y.o.b. 2006
Remarks	*Capacity is based on a
	medium inlet
	temperature of 60°C and
	an outlet temperature of
	40°C
Stock	1



### **Description**

#### Used Güntner S-AGVH 090.2A/2x5-N(D)

Used Güntner S-AGVH 090.2A/2x5-N(D) air cooled drycooler. Complete with 10 Ziehl-Abegg fans - 50 Hz - 2,79/1,36 kW - 890/700 RPM - diameter 910 mm and a total airflow of 279,000 m<sup>3</sup>/h. The current condenser will be converted into a drycooler and the appropriate flanges will be installed. The drycooler has a capacity of 859,6kW with a medium inlet temperature of 60°C and an outlet temperature of 40°C. \*All components of this used condensor will be tested on good working, leak free condition (electro engines), condensing block, bearings. Choosing HOSBV means buying with warranty. We perform a industrial cleaning. Also, we can arrange your shipment.



# Your partner for used commercial and industrial refrigeration equipment















# Your partner for used commercial and industrial refrigeration equipment

