

DWM 6CC 75L Condensing Unit

Specifications

| | |
|--------------------------|------------------------------|
| Brand | DWM |
| Type | 6CC 75L Condensing Unit |
| Refrigerant | Freon |
| kW at +10°C/+40°C | 134,9 |
| kW at 0°C/+40°C | 92,7 |
| kW at -5°C/+40°C | 78,2 |
| kW at -10°C/+40°C | 60,6 |
| kW at -20°C/+40°C | 36,7 |
| kW at -30°C/+40°C | 19,1 |
| On steel base frame | ✓ |
| Pressure safety switches | ✓ |
| Hp/Lp/Op | |
| Pressure gauges | ✓ |
| Hp/Lp/Op | |
| Oil separator | ✓ |
| Liquid line filter drier | ✓ |
| Sight Glass | ✓ |
| Control panel | ✓ |
| m3 / h | 126,8 m³/h - 1450 RPM |
| Remarks | Y.o.b. 1997 |
| Condensing Unit | ✓ |
| Sizes | 4250x1680x2140 mm (LxWxH) |
| Stock | 1 |



Description

Used DWM 6CC 75L Condensing Unit

Used DWM Copeland 6CC 75L condensing unit on Freon. This unit also has the function of a chiller. Complete with 2 Helpman TC 4-6-A condensers with 6 fans, oil separator, Grundfos water pump, plate heat exchanger, pressure and safety switches/gauges, liquid line filter drier and a control panel.

Why choose for HOSBV? We're not only the largest used refrigeration specialist in Europe, but also, we deliver all equipment including an extensive test, warranty and industrial cleaning.

*Optional we can also perform a new paint job and arrange the logistics.







