

DWM D2DB3-50X-AWM/D

Specifications

Brand	DWM
Туре	D2DB3-50X-AWM/D
Refrigerant	Freon
kW at -10ºC/+40ºC	16,1
kW at -20ºC/+40ºC	10,6
kW at -30ºC/+40ºC	6,5
kW at -40ºC/+40ºC	3,5
kW at -45ºC/+40ºC	2,4
On steel base frame	✓
Pressure safety switches	✓
Hp/Lp/Op	
Condensing pressure	✓
switches	
Liquid receiver	✓
Oil separator	✓
Sight Glass	✓
m3 / h	28,0 m³/h
Remarks	Y.o.b. 2002
Sizes	900x520x950 mm
	(LxWxH)
Stock	1



Description

Used DWM D2DB3-50X-AWM/D

Used DWM D2DB3-50X-AWM/D semihermetic reciprocating compressor on Freon. Complete with a pressure and safety switch, condensing pressure switches, oil separator and a liquid receiver. The compressor has a displacemenet of 28 m³/h. *Why choose for HOSBV? Were not only the largest used refrigeration specialist in Europe, but also, we solely deliver our orders after performing an extensive test and an industrial cleaning. If requested we are happy to arrange your logistics.



Your partner for used commercial and industrial refrigeration equipment















Your partner for used commercial and industrial refrigeration equipment











Your partner for used commercial and industrial refrigeration equipment



