

DWM D4DJ4-300X-AWM/D (x3)

Specifications

| D4DJ4-300X-AWM/D (x3) |
|-----------------------|
| Freon |
| 219,5 |
| 182,5 |
| 150,1 |
| 98,1 |
| 59,6 |
| 1 |
| / |
| |
| 1 |
| / |
| 1 |
| 253,8 |
| 1 |
| 2650x1000x1900 mm |
| (LxWxH) |
| 1 |
| |



Description

Used DWM D4DJ4-300X-AWM/D (x3)

Used Used DWM D4DJ4-300X-AWM/D (x3) semi-hermetic reciprocating compressor rack on Freon. Complete with a oil separator and an oil level system AC&R. The compressors have a total displacement 253,8 m³/h.

This rack is on the same frame with the following rack: 17360

*Why choose for HOSBV? Were not only the largest used refrigeration specialist in Europe, but also, we solely deliver our orders after performing an extensive test and an industrial



cleaning. If requested we are happy to arrange your logistics.

















| and the second se |
|--|
| DWM COPELAND |
| MODEL D4DJ4-300X+AWM/D DATE 02 28 |
| ERIAL NO O2G 63433 PROTE. IP 54 R OPER.PRESS. H/L 28/22,5 BAR TEST PRESS. H/L 31/25 BAR |
| ~ 3 50 HZ 1450 RPM V 84,6 M3/H S M O |
| Frz VOLTAGE I-BLOCK (L.R.A.) I-OPERMAX 50 380/420 YY/Y 195-218 A 52.0 A |
| 60 446/480 YV/Y 187-209 A 52.0 A |
| |
| Contraction of the second seco |
| and the second |











