

## Grasso RC 49

### Specifications

|                          |                              |
|--------------------------|------------------------------|
| Brand                    | Grasso                       |
| Type                     | RC 49                        |
| Refrigerant              | NH 3 (ammonia)               |
| kW at +10°C/+40°C        | 329,5                        |
| kW at 0°C/+40°C          | 215,7                        |
| kW at -5°C/+40°C         | 170,1                        |
| kW at -10°C/+40°C        | 130,6                        |
| Pressure safety switches | ✓                            |
| Hp/Lp/Op                 |                              |
| Pressure gauges          | ✓                            |
| Hp/Lp/Op                 |                              |
| Oil separator            | ✓                            |
| Liquid line filter drier | ✓                            |
| Sight Glass              | ✓                            |
| m <sup>3</sup> / h       | 281,0                        |
| Remarks                  | Y.o.b. 1998                  |
| Sizes                    | 1920x1350x1450 mm<br>(LxWxH) |
| Stock                    | 1                            |



### Description

#### Used Grasso RC 49

Used Grasso RC 49 reciprocating compressor on NH<sub>3</sub> (Ammonia). Complete with a Schorch KN5 225M-BB011 Z electric motor - 50 Hz - 1455 RPM, oil separator, pressure and safety switches/gauges and sight glass. The compressor has a displacement of 281,0 m<sup>3</sup>/h at 1450 RPM.

\*Why choose for HOSBV? Were not only the largest used refrigeration specialist in Europe, but also, we deliver all equipment including an extensive test, warranty and industrial cleaning.

\*Optional we can also perform a new paint job and arrange the logistics.





