

## DWM D4DH5-250X-AWM/D

### Specifications

|                       |                           |
|-----------------------|---------------------------|
| Brand                 | DWM                       |
| Type                  | D4DH5-250X-AWM/D          |
| Refrigerant           | Freon                     |
| kW at 0°C/+40°C       | 60,8                      |
| kW at -5°C/+40°C      | 50,4                      |
| kW at -10°C/+40°C     | 41,3                      |
| kW at -20°C/+40°C     | 26,7                      |
| kW at -30°C/+40°C     | 16,0                      |
| Oil level system AC&R | ✓                         |
| Sight Glass           | ✓                         |
| m3 / h                | 18,05 m³/h - 50 Hz        |
| Remarks               | Y.o.b. 2008               |
| Weight in kg.         | 225 kg                    |
| Sizes                 | 760x550x400 mm<br>(LxWxH) |
| Stock                 | 3                         |



### Description

#### Used DWM D4DH5-250X-AWM/D

Used DWM / Copeland D4DH5-250X-AWM/D semi-hermetic reciprocating compressor on Freon complete with a Carly AC&R oil level system. The compressor has a displacement of 70,9 m³/h at 50 Hz.

\*Why choose for HOSBV? We are not only the largest used refrigeration specialist in Europe, but also, we deliver all equipment including an extensive test, warranty and industrial cleaning. \*If requested we are happy to arrange your logistics.





