

# Bitzer 4H-25.2Y-40P

## Specifications

Brand	Bitzer
Type	4H-25.2Y-40P
Refrigerant	Freon
kW at 0°C/+40°C	59,4
kW at -5°C/+40°C	49,4
kW at -10°C/+40°C	40,6
kW at -20°C/+40°C	26,4
kW at -30°C/+40°C	15,9
kW at -40°C/+40°C	8,3
On steel base frame	✓
Pressure safety switches	✓
Hp/Lp/Op	
Pressure gauges	✓
Hp/Lp/Op	
Liquid receiver	✓
Liquid receiver ltr.	30
Suction accumulator	✓
Oil separator	✓
Liquid line filter drier	✓
Sight Glass	✓
m <sup>3</sup> / h	73,7 m <sup>3</sup> /h at 50 Hz / 88,9 m <sup>3</sup> /h at 60 Hz
Remarks	Y.o.b. 2006
Sizes	1850x1200x1100 mm (LxWxH)
Stock	1



## Description

### Used Bitzer 4H-25.2Y-40P

Used Bitzer 4H-25.2Y-40P semi-hermetic reciprocating compressor on Freon. Complete with a Bitzer liquid receiver with a volume of 30 liter, suction accumulator, oil separator, pressure and safety switches/gauges and a liquid line filter drier. The compressor has a displacement of 73,7 m<sup>3</sup>/h at 50 Hz / 88,9 m<sup>3</sup>/h at 60 Hz. \*Why choose for HOSBV? We are not only the largest used refrigeration specialist in Europe, but also, we deliver all equipment solely if it has passed our extensive test. Warranty and industrial cleaning are included in your purchase. \*If requested we are happy to arrange your shipment.







