

# Howden MK5/WRV255 22036/476

## Specifications

Brand	Howden
Type	MK5/WRV255 22036/476
Refrigerant	NH 3 (ammonia)
kW at -20°C/+40°C	1560,0 kW (-20°C/-10°C)
kW at -30°C/+40°C	965,0 (-30°C/-10°C)
kW at -40°C/+40°C	548,0 (-40°C/-10°C)
On steel base frame	✓
Pressure safety switches	✓
Hp/Lp/Op	
Pressure gauges	✓
Hp/Lp/Op	
Oil separator	✓
Liquid line filter drier	✓
Sight Glass	✓
Package / Rack	✓
Sizes	4250x1150x2250 mm (LxWxH)
Stock	1



## Description

### Used Howden MK5/WRV255 22036/476

Used Howden MK5/WRV255 22036/476 open-drive screw compressor unit on NH3 (Ammonia). Complete with a Schorch KN7315S-AV01R-401 electric motor - 50 Hz - 160 kW - 2980 RPM, Ses T 61 oil separator with a volume of 530 liters, Transitherm G.m.b.H. B168/2500-1W shell and tube heat exchanger, oil cooler, liquid line filter drier, Viking AS4195 liquid pump with F-part FPA100L1-4 electro motor - 50/60 Hz - 2,2/2,64 kW - 1440/1690 RPM and pressure safety switches/gauges. This compressor is overhauled in 2024 and hasn't had many working hours since then.

\*Why choose for HOSBV? We are not only the largest used refrigeration specialist in Europe, but also, we



deliver all equipment solely if it has passed our extensive test. Warranty and industrial cleaning are included in your purchase. \*If requested we are happy to arrange your shipment.













