

Sabroe SMC 116L HP

Specifications

Brand	Sabroe
Type	SMC 116L HP
Refrigerant	NH 3 (ammonia)
kW at +10°C/+40°C	1434,8*
kW at 0°C/+40°C	949,0
kW at -5°C/+40°C	755,1
kW at -10°C/+40°C	590,2
Capacity Control	✓
On steel base frame	✓
Pressure safety switches	✓
Hp/Lp/Op	
Pressure gauges	✓
Hp/Lp/Op	
Oil separator	✓
Sight Glass	✓
Control panel	✓
m ³ / h	1118 m ³ /h - 1480 RPM
Remarks	Y.o.b. 1992
Remarks	*Capacity based on a bigger electric motor
Package / Rack	✓
Sizes	4700x2600x2300 mm (LxWxH)
Stock	1



Description

Used Sabroe SMC 116L HP

Used Sabroe SMC 116L HP reciprocating compressor on R717 (Ammonia). Complete with a Schorch electric motor - 50/60 Hz - 200/230 kW - 1480/1780 RPM, Lohenner GmbH & Co. with a volume of 1090 liters, Sabroe OVUR 4107 D oil separator, 2 heat exchangers, pressure and safety switches/gauges and Sabroe Unisab RT-control panel. The compressor has a displacement of 1118 m³/h at 1480 RPM.

*Why choose for HOSBV? We are not only the largest used refrigeration specialist in Europe, but also, we deliver all equipment including an extensive test, warranty, and industrial cleaning. *Optional we can also perform a new paint job and arrange the logistics.









