

Bitzer HSN8571-125-40P

Specifications

Brand	Bitzer
Туре	HSN8571-125-40P
Refrigerant	Freon
kW at -20ºC/+40ºC	198,2
kW at -30ºC/+40ºC	136,3
kW at -40ºC/+40ºC	89,4
kW at -45ºC/+40ºC	70,5
Unloaded Start	1
Capacity Control	1
m3 / h	50 Hz - 410 m³/h / 60 Hz
	- 495 m³/h
Remarks	Capacity based on an
	economizer
Weight in kg.	610 kg
Sizes	1250x560x660 mm
	(LxWxH)
Stock	1



Description

Used Bitzer HSN8571-125-40P

Overhauled Bitzer HSN 8571-125-40P semi-hermetic screw compressor on Freon. The compressor has a displacement of 410 m³/h at 50 Hz & 495 m³/h at 60 Hz. Please notice that the capacity is based on an economizer. *Why choose for HOSBV? We are not only the largest used refrigeration specialist in Europe, but also, we deliver all equipment including an

extensive test, warranty and industrial cleaning. *Optional we can also perform a new paint job and arrange the logistics.

www.hosbv.com



Your partner for used commercial and industrial refrigeration equipment





Typ HSN8571-125-40P SNr. 1072801213							
BITZER KÜHL	MASC Made in						
	Frequ.	and the second sec	Anlaufstr	1	Fördervo	The second second second second	
V 3Ph~	Hz	A (max.)	A (Δ) 612	Α (ΔΔ)	m ³ /h 410	min ⁻¹	
400	50 60	216	612	943	410	3500	
IP 54 ND/HD 1 37802821	nax. 19	9 /28 ba				((









Your partner for used commercial and industrial refrigeration equipment

