

Mycom C6HK

Specifications

Brand	Mycom
Type	C6HK
Refrigerant	CO2
kW at -30°C/+40°C	480,0*
kW at -40°C/+40°C	300,0*
kW at -45°C/+40°C	250,0*
On steel base frame	✓
Pressure safety switches	✓
Hp/Lp/Op	
Pressure gauges	✓
Hp/Lp/Op	
Oil separator	✓
Oil level system AC&R	✓
Sight Glass	✓
Solenoid Valve	✓
m3 / h	126,8 m³/h - 1800 RPM
Remarks	Y.o.b. 2022
Remarks	*Capacities are based on a condensing temperature of -10°C and 1450 RPM
Sizes	2050x1500x2200 mm (LxWxH)
Stock	1



Description

Used Mycom C6HK

Used Mycom C6HK open-type reciprocating compressor on CO2. Complete with a Lammers 150DP 50 M-4 electromotor - 50/60 Hz - 90/103,5 kW - 1480/1775 RPM, Mayekawa MAA 2565-40 oil separator with a volume of 58 liters and pressure safety switches / gauges. The capacities are based on a condensing temperature of -10°C and 1450 RPM.

*Why choose for HOSBV? We are not only the largest used refrigeration specialist in Europe, but also, we solely deliver our orders after performing an extensive test and an industrial cleaning. If requested we are happy to arrange your logistics.





