

# Bitzer 6G-30.2Y-40P (x2) & 4VCS-6.2Y-40P (x1)

## Specifications

Brand	Bitzer
Type	6G-30.2Y-40P (x2) & 4VCS-6.2Y-40P (x1)
Refrigerant	Freon
kW at -10°C/+40°C	157,3
kW at -20°C/+40°C	103,1
kW at -30°C/+40°C	66,8
kW at -40°C/+40°C	33,9
On steel base frame	✓
Pressure safety switches	✓
Hp/Lp/Op	
Pressure gauges	✓
Hp/Lp/Op	
Liquid receiver	✓
Liquid receiver ltr.	160 l
Oil separator	✓
Oil level system AC&R	✓
Liquid line filter drier	✓
Sight Glass	✓
m <sup>3</sup> / h	50 Hz - 288,3 m <sup>3</sup> /h / 60 Hz - 348,1 m <sup>3</sup> /h
Remarks	Y.o.b. 2011
Package / Rack	✓
Sizes	3000x1000x2100 mm (LxWxH)



Stock

1

## Description

### **Used Bitzer 6G-30.2Y-40P (x2) & 4VCS-6.2Y-40P (x1)**

Used Bitzer 6G-30.2Y-40P (x2) & 4VCS-6.2Y-40P (x1) semi-hermetic reciprocating compressor rack on Freon. Complete with a Bitzer F1602N liquid receiver with a volume of 160 liters, Henry Technologies S-1902-CE oil separator, AC&R S-9108-CE oil reservoir, brazed heat exchanger, pressure and safety switches/gauges and liquid line filter drier.

\*Why choose for HOSBV? We are not only the largest used refrigeration specialist in Europe, but also, we deliver all equipment including an extensive test, warranty, and industrial cleaning. \*Optional we can also perform a new paint job and arrange the logistics.









