

Bitzer 6FE-40Y-40P (x7) & 6FE-44Y-40P (x1)

Specifications

Brand	Bitzer
Type	6FE-40Y-40P (x7) & 6FE-44Y-40P (x1)
Refrigerant	Freon
Refrigerant type	R134A
kW at 0°C/+40°C	627,2
kW at -5°C/+40°C	506,4
kW at -10°C/+40°C	404,8
kW at -20°C/+40°C	246,4
On steel base frame	✓
Pressure safety switches	✓
Hp/Lp/Op	
Pressure gauges	✓
Hp/Lp/Op	
Condensing pressure switches	✓
Oil separator	✓
Oil level system AC&R	✓
Liquid line filter drier	✓
Control panel	✓
m ³ / h	1216
Remarks	Y.o.b. 2013
Remarks	*Capacity based on Freon type: R134A
Package / Rack	✓



Sizes	Compressor set 1: 3950x1850x1950 mm (LxWxH) Compressor set 2: 3950x1850x2050 mm (LxWxH)
Stock	1

Description

Used Bitzer 6FE-40Y-40P (x7) & 6FE-44Y-40P (x1)

Used Bitzer 6FE-40Y-40P (x7) & 6FE-44Y-40P (x1) semi-hermetic reciprocating compressors on Freon. Complete with an oil separator, oil reservoir, brazed heat exchanger, electric oil level system AC&R, pressure and safety switches/gauges, liquid line filter drier, 8x Danfoss frequency converters and a control cabinet with multiple controllers and displays. The compressors have a total displacement of 1216 m³/h.

*Why choose for HOSBV? We are not only the largest used refrigeration specialist in Europe, but also, we deliver all equipment including an extensive test, warranty and industrial cleaning.

*Optional we can also perform a new paint job and arrange the logistics.











