

Güntner GFHV FD 090.2NF/12E-52

Specifications

Brand	Güntner
Type	GFHV FD 090.2NF/12E-52
Product type	Drycooler
kW	111,5*
Number of Fans	2
RPM of the Fans	825
Refrigerant	Glycol
Air Flow in m ³ /h	41.100
diameter fans Ø	910 mm
Surface (m ²)	319,4
Tube volume	60,8 dm ³
Sizes	4260x1140x1840 mm (LxWxH)
Remarks	Y.o.b. 2021
Stock	1



Description

Used Güntner GFHV FD 090.2NF/12E-52

New Güntner GFHV FD 090.2NF/12E-52 drycooler built in 2021. Complete with 2 EBM-Papst S3G910-CS22-09 fans - 50/60 Hz - 1,55 kW - 825 RPM - diameter 910 mm and a total airflow of 41.100 m³/h.

*Capacity based on the following:
 Air inlet/outlet temperature:
 25°C/33,2°C.
 Medium Inlet/outlet temperature:
 40°C/35°C.
 Volume flow: 20,9 m³/h.
 Medium: Glycol 34%.

Capacity of 216,8 kW based on the following:
 Air inlet/outlet temperature:
 25°C/40,9°C.

Medium Inlet/outlet temperature:
60°C/40°C.

Volume flow: 10,2 m³/h.

Medium: Glycol 34%.

*All components of this used condenser will be tested on adequate functionality, leak free condition (electro engines), condensing block, bearings. Choosing HOSBV means buying with warranty. We perform an industrial cleaning. on demand, we can arrange your shipment.



