

Bitzer 6F-50.2Y-40P Condensing unit

Specifications

Brand	Bitzer
Type	6F-50.2Y-40P Condensing unit
Refrigerant	Freon
kW at 0°C/+40°C	121,7
kW at -5°C/+40°C	101,3
kW at -10°C/+40°C	83,6
kW at -20°C/+40°C	55,0
kW at -30°C/+40°C	33,9
kW at -40°C/+40°C	18,6
On steel base frame	✓
Pressure safety switches	✓
Hp/Lp/Op	
Pressure gauges	✓
Hp/Lp/Op	
Liquid receiver	✓
Liquid receiver ltr.	70
Suction accumulator	✓
Oil separator	✓
Liquid line filter drier	✓
Sight Glass	✓
Control panel	✓
m3 / h	151,6 m ³ /h at 50 Hz & 183 m ³ /h at 60 Hz
Remarks	Y.o.b. 2013
Condensing Unit	✓



(LxWxH)

Size

3240x1100x2320 mm

Description

Used Bitzer 6F-50.2Y-40P Condensing unit

Used Fredvic UM 500 MT/S condensing unit on Freon. Complete with a Bitzer 6F-50.2Y-40P semi-hermetic reciprocating compressor, condenser with 3 EBM-Papst fans - 50 Hz - 1,94/1,21 kW - 880/670 RPM, OCS liquid receiver with a volume of 70 liter, suction accumulator, oil separator, liquid line filter drier, pressure and safety switches/gauges and a control cabinet. The compressor has a displacement of 151,6 m³/h at 50 Hz & 183 m³/h at 60 Hz.

*Why choose for HOSBV? We're not only the largest used refrigeration specialist in Europe, but also, we deliver all equipment including an extensive test, warranty and industrial cleaning.

*Optional we can also arrange the logistics.







