

Bitzer 4DC-7.2Y-40S

Specifications

Brand	Bitzer
Type	4DC-7.2Y-40S
Refrigerant	Freon
kW at 0°C/+40°C	21,1
kW at -5°C/+40°C	17,5
kW at -10°C/+40°C	14,4
kW at -20°C/+40°C	9,3
kW at -30°C/+40°C	5,5
kW at -40°C/+40°C	2,8
Unloaded Start	✓
On steel base frame	✓
Liquid receiver	✓
Liquid receiver ltr.	39 L
Liquid line filter drier	✓
Sight Glass	✓
m ³ / h	50 Hz - 26,9 m ³ /h / 60 Hz - 32,4 m ³ /h
Remarks	Y.o.b. 2004
Sizes	1370x600x1730 mm (LxWxH)
Stock	1



Description

Used Bitzer 4DC-7.2Y-40S

Used Bitzer 4DC-7.2Y-40S semi-hermetic reciprocating compressor on Freon. Complete with a Bitzer FS 402 liquid receiver with a volume of 39 liters, liquid line filter drier and a sight glass. The compressor has a displacement of 26,9 m³/h at 50 Hz & 32,4 m³/h at 60 Hz.

*All components of this used evaporator will be tested on good working, leak free condition (electro engines, coils, bearings). Choosing HOSBV means buying with warranty. We perform a industrial cleaning. Also, we can arrange your shipment.





