

# Bitzer 4N-12.2Y-40P

## Specifications

Brand	Bitzer
Type	4N-12.2Y-40P
Refrigerant	Freon
kW at -5°C/+40°C	38,1
kW at -10°C/+40°C	31,3
kW at -20°C/+40°C	20,4
kW at -30°C/+40°C	12,4
kW at -40°C/+40°C	6,7
kW at -45°C/+40°C	4,6
On steel base frame	✓
Pressure safety switches	✓
Hp/Lp/Op	
Liquid receiver	✓
Sight Glass	✓
m <sup>3</sup> / h	56,1 m <sup>3</sup> /h at 50 Hz & 67,7 m <sup>3</sup> /h at 60 Hz
Remarks	Y.o.b. 2007
Sizes	1600x700x870 mm (LxWxH)
Stock	1



## Description

### Used Bitzer 4N-12.2Y-40P

Used Bitzer 4N-12.2Y-40P semi-hermetic reciprocating compressor on Freon. Compleat with a liquid receiver, pressure and safety switches. The compressor has a displacement of 56,1 m<sup>3</sup>/h at 50 Hz & 67,7 m<sup>3</sup>/h at 60 Hz. \*Why choose for HOSBV? We are not only the largest used refrigeration specialist in Europe, but also, we deliver all equipment including an extensive test, warranty and industrial cleaning. \*Optional we can also perform a new paint job and arrange the logistics



