

Bitzer HSN 7461-70-40P (x2)

Specifications

Brand	Bitzer
Type	HSN 7461-70-40P (x2)
Refrigerant	Freon
kW at -20°C/+40°C	229,6
kW at -30°C/+40°C	157,4
kW at -40°C/+40°C	102,0
kW at -45°C/+40°C	79,8
Unloaded Start	✓
Capacity Control	✓
On steel base frame	✓
Pressure safety switches	✓
Hp/Lp/Op	
Pressure gauges	✓
Hp/Lp/Op	
Liquid receiver	✓
Liquid receiver ltr.	228
Oil separator	✓
Sight Glass	✓
Solenoid Valve	✓
Control panel	✓
m3 / h	440 m ³ /h at 50 Hz & 532 m ³ /h at 60 Hz
Remarks	Y.o.b. 2011 (s.nr: 1080601587) & y.o.b. 2004 (s.nr: 1066100769)
Package / Rack	✓



(LxWxH)

Stærk

2550x1600x1800 mm

Description

Used Bitzer HSN 7461-70-40P (x2)

Used Bitzer HSN 7461-70-40P (x2) semi-hermetic screw compressor skid on Freon. Complete with a Bitzer F2202N liquid receiver with a volume of 228 liter, Bitzer OA4088 oil separator, Vahterus PSHE 3HH-40/1/1 oil cooler, Vahterus PSHE 3HH 60/3/2 as economizer, pressure and safety switches/gauges and a control cabinet with an Eliwell EWCM900/S controller. The compressor skid has a displacement of 440 m³/h at 50 Hz & 532 m³/h at 60 Hz.

*Why choose for HOSBV? We're not only the largest used refrigeration specialist in Europe, but also, we solely deliver our orders after performing an extensive test and an industrial cleaning. If requested we are happy to arrange your logistics.











