

Bitzer HSN 7471-75-40P (x3)

Specifications

Brand	Bitzer
Type	HSN 7471-75-40P (x3)
Refrigerant	Freon
kW at -20°C/+40°C	360,9
kW at -30°C/+40°C	248,7
kW at -40°C/+40°C	163,5
kW at -45°C/+40°C	129,0
Unloaded Start	✓
Capacity Control	✓
On steel base frame	✓
Pressure safety switches	✓
Hp/Lp/Op	
Pressure gauges	✓
Hp/Lp/Op	
Liquid receiver	✓
Oil separator	✓
Liquid line filter drier	✓
Sight Glass	✓
Solenoid Valve	✓
Control panel	✓
m3 / h	50 Hz - 750 m³/h & 60 Hz - 900 m³/h
Remarks	Y.o.b. 2004 (s.nr: 1066800052) & y.o.b. 2000 (s.nr: 5871892)
Package / Rack	✓



	(LxWxH)
Size	3700x1420x1780 mm


Description

Used Bitzer HSN 7471-75-40P (x3)

Used Bitzer HSN 7471-75-40P (x3) semi-hermetic screw compressor skid on Freon. Complete with a Hans Güntner liquid receiver with a volume of 400 liters, Bitzer OA 9011 oil separator, Vahterus PSHE 3HH-38/1/1 oil cooler, Vahterus Q plate 3HH-96/3/2 as economizer, pressure and safety switches/gauges and a control cabinet with a Eliwell EWCM890/S controller. The compressors have a total displacement of 750 m³/h at 50 Hz & 900 m³/h at 60 Hz.

*Why choose for HOSBV? We're not only the largest used refrigeration specialist in Europe, but also, we solely deliver our orders after performing an extensive test and an industrial cleaning. If requested we are happy to arrange your logistics.





Typ HSN7471-75-40P
SNr 1066800052

BITZER KÜHLMASCHINE Gr. 3H
Made in E.C.

Nennspannung V 3Ph~	Frequ. Hz	Bezugsstrom A (max.)	Anlaufstrom A (Δ)	A (ΔΔ)	Fördervol. m³/h	Drehzahl min⁻¹
400	50	144	350	585	250	2900
460	60	144	350	585	300	3500

IP 54 ND/HD max. 19 / 28 bar

CE

