

Baltimore CXVE 504-1218-30L

Specifications

| | |
|-------------------------------|--|
| Brand | Baltimore |
| Type | CXVE 504-1218-30L |
| Product type | Evaporating Condenser |
| kW | 2124,0* |
| Number of Fans | 3 |
| Refrigerant | NH 3 (ammonia) |
| Air Flow in m ³ /h | 225.000 |
| Sizes | 5480x3607x6230 mm (LxWxH) |
| Weight | Operating weight: 15.740 kg Shipping weight: 10.530 kg |
| Remarks | Y.o.b. 2018 |
| Remarks | *Capacity based on UK operating conditions |
| Stock | 1 |



Description


Used Baltimore CXVE 504-1218-30L

In good condition used Baltimore CXVE 504-1218-30L evaporating condenser on R717 (Ammonia) built in 2018. Complete with 3 fans that are driven by a Electramo HMS-132M-4 electric motor - 50 Hz - 7,5 kW - 1460 RPM and a water pump. The condenser produces an airflow of 225.000 m³/h and a water flow of 85,2 m³/s. *Capacity based on UK operating conditions. For more information please feel free to contact us!

*All components of this used condensor will be tested on adequate functionality, leak free condition (electro engines), condensing block, bearings. Choosing HOSBV means buying with warranty. We perform an industrial cleaning on demand, we can



arrange your shipment.



Efficiency grade at optimum efficiency point: 36 (2015) – 40 (2015)
 Calculation of η assumed use of VFD: No

PN 27009000

BALTIMORE AIRCOIL INTERNATIONAL nv
 Heist-op-den-Berg, Belgium • www.BaltimoreAircoil.eu

MODEL N° CXVF_504-1218-80
 SERIAL N° H180367101
 FAN OVERALL EFFICIENCY (η) 54.63%

27009000MAH

details m.b.t. de volgende onderwerpen, gelieve de B.A.C. Bedrijf & Onderhouds - en de C. Installatie & Opstellingscatalogi te consulteren, die worden meegestuurd met de orderstiging & met dit toestel.

B & O I & O

