

Bock HGX12P/60-4 S Water-cooled condensing unit

Specifications

Brand	Bock
Type	HGX12P/60-4 S Water-cooled condensing unit
Refrigerant	Freon
Refrigerant type	R410A
kW at +10°C/+40°C	8,8*
kW at 0°C/+40°C	6,0*
kW at -5°C/+40°C	4,9*
kW at -10°C/+40°C	4,0*
kW at -20°C/+40°C	2,4*
kW at -30°C/+40°C	1,8* (-25°C/+40°C)
On steel base frame	✓
Pressure safety switches	✓
Hp/Lp/Op	
Pressure gauges	✓
Hp/Lp/Op	
Liquid line filter drier	✓
Sight Glass	✓
Control panel	✓
m3 / h	5,4 at 50 Hz
Remarks	*Capacity based on Freon type: R410a
Condensing Unit	✓
Sizes	610x930x1550 mm (LxWxH)



Stock

1

Description

Used Bock HGX12P/60-4 S Water-cooled condensing unit

Used Bock water-cooled condensing unit on Freon. Complete with a Bock HGX12P/60-4 S semi-hermetic compressor, Bitzer K073H shell and tube condenser, liquid line filter drier, pressure and safety switches/gauges, sight glass and a control cabinet with a Merkury Mk3 8-2/5M display. The compressor has a displacement of 5,4 m³/h at 50 Hz.

*Why choose for HOSBV? Were not only the largest used refrigeration specialist in Europe, but also, we deliver all equipment including an extensive test, warranty and deliver after an industrial cleaning. *If requested we are happy to arrange your logistics.





