

Grasso RC49

Specifications

Brand	Grasso
Type	RC49
Refrigerant	NH 3 (ammonia)
kW at +10°C/+40°C	329,5
kW at 0°C/+40°C	215,7
kW at -5°C/+40°C	170,1
kW at -10°C/+40°C	130,6
On steel base frame	✓
Pressure safety switches	✓
Hp/Lp/Op	
Pressure gauges	✓
Hp/Lp/Op	
Sight Glass	✓
m3 / h	281,1 at 1450 RPM
Remarks	Y.o.b. 1996
Sizes	1950x900x1560 mm (LxWxH)
Stock	1



Description

Used Grasso RC49

Used Grasso RC 49 reciprocating compressor on NH3 (Ammonia). Complete with a ABB M2AA 250 SMA 4 electric motor - 50 Hz - 55 kW - 1480 RPM, pressure and safety switches/gauges and sight glass. The compressor has a displacement of 281,1 m³/h at 1450 RPM.

*Why choose for HOSBV? Were not only the largest used refrigeration specialist in Europe, but also, we deliver all equipment including an extensive test, warranty and industrial cleaning.

*Optional we can also perform a new paint job and arrange the logistics.







ABB Motors						CE	
3-Motor		M2AA 250 SMA 4					
IEC 250 S/M 65							
No							
Ins.cl. F				IP 55			
V	Hz	kW	r/min	A	cos φ	I _A /I _N	t _E /S
690 Y	50	55	1480	57	0.86		
400 Δ	50	55	1480	98	0.86		
660 Y	50	55	1475	60	0.86		
380 Δ	50	55	1475	103	0.86		
415 Δ	50	55	1480	96	0.84		
440 Δ	60	63	1775	103	0.86		
Prod.code		3GAA 252 001-ADA					
6315/C3  6213/C3						275 kg	
3GZV 194 004-7				IEC 34-1			

