

Sabroe SMC 108 S

Specifications

Brand	Sabroe
Type	SMC 108 S
Refrigerant	NH 3 (ammonia)
kW at +10°C/+40°C	571,1
kW at 0°C/+40°C	373,1
kW at -5°C/+40°C	294,4
kW at -10°C/+40°C	227,6
Electromotor Specs	50 Hz - 110 kW - 1466 RPM
Unloaded Start	✓
Capacity Control	✓
Oil separator	✓
Sight Glass	✓
Solenoid Valve	✓
Control panel	✓
m ³ / h	295,4 m ³ /h at 975 RPM
Sizes	2200x950x1500 mm (LxWxH)
Stock	1




Description

Used Sabroe SMC 108 S

Used Sabroe SMC 108 S R717 (Ammonia) reciprocating compressor on a steel base frame. Complete with a Leroy Somer PLS280SC-T electric motor - 50 Hz - 110 kW - 1466 RPM, Sabroe oil separator with a volume of 62 liter and a Unisab 2 controller. The compressor has a displacement of 295,4 m³/h at 975 RPM.

*Why choose for HOSBV? We are not only the largest used refrigeration specialist in Europe, but also, we deliver all equipment including an extensive test, warranty and industrial cleaning. *If requested we are happy to arrange your logistics.



SABROE	
ÅRHUS	DANMARK
Type	Kølemiddel
Løbe No.	Fabr. År
Omløbstal	975 o/min
Slagvolumen	95,4 m ³ /h
Arbejdstryk	16 bar
Prøvetryk	4-1 bar
KOMPR. 4	

