

Cabero GCHSD089MB/X7S-40 Y V

Specifications

Brand	Cabero
Type	GCHSD089MB/X7S-40 Y V
Product type	Drycooler
kW	428,9
Number of Fans	14
RPM of the Fans	770
Refrigerant	Glycol
Air Flow in m ³ /h	214.700
diameter fans Ø	800 mm
Surface (m ²)	3428,3
Tube volume	560
Sizes	12650x2360x1750 mm (LxWxH)
Remarks	Y.o.b. 2020
Stock	2




Description

Used Cabero GCHSD089MB/X7S-40 Y V

Used Cabero GCHSD089MB/X7S-40 Y V dry cooler. Complete with 14 Ebmpapst W3G800-HG95-07 fans - 50/60 Hz - 0.9 kW - 770 rpm - diameter 800 mm, good for a total air flow of 214,700 m³/h. Furthermore, it comes with a control cabinet with a Ziehl-Abegg UNIcon fan controller.

*All components of this used chiller will be tested on good working, leak free condition condensing blocks, compressors, fans, control panel, etcetera. Choosing HOSBV means buying with warranty. We perform an industrial cleaning and rust spots will be covered. Also, we can arrange your shipment.



		(2) PCN 	CABERO WÄRMETAUSCHER
(3) ITEM NO GCHSD089MB/2X7S-40 Y V (EB) EC AXI A			
(4) SERIAL NO 20-NL-5012-2	(5) DESIGN CODE PED / DIN EN 14276:2	(6) HEATING SURFACE 3428,3 M ²	
(7) FLUID ETHYLENE GLYCOL 30% / WATER 70%		(8) FLUID GROUP 2	
(9) MAX. ALLOWABLE PRESSURE (PS) 12 BAR	(10) APPLIED PRESSURE TEST (PT) 18 BAR	(11) PRESSURE TEST DATE 29.07.2020	
(12) MIN. MAX. ALLOWABLE TEMP. (TS) -25 °C / +60 °C	(13) VOLUME 560 L	(14) FABRICATION YEAR 2020	
(15) PED CATEGORY / MOD 0/-	(16) ADDITIONAL		
<small>CABERO INDUSTRIAL KFT., KÜLTELEK 22, 7342 MÁGOC, HUNGARY T: +36 72 451-251, F: +36 72 451-020, INFO@CABERO.DE, WWW.CABERO.DE</small>			

