

Bitzer 4PES-10Y-40P (x1) & 4NES-14Y-40P (x2) Compressor unit

Specifications

Brand	Bitzer
Type	4PES-10Y-40P (x1) & 4NES-14Y-40P (x2) Compressor unit
Refrigerant	Freon
kW at 0°C/+40°C	82,3
kW at -5°C/+40°C	65,5
kW at -10°C/+40°C	51,4
kW at -20°C/+40°C	29,4
Pressure safety switches	✓
Hp/Lp/Op	
Pressure gauges	✓
Hp/Lp/Op	
Oil separator	✓
Oil level system AC&R	✓
Liquid line filter drier	✓
Sight Glass	✓
Control panel	✓
m3 / h	161,1
Remarks	Y.o.b. 2014
Package / Rack	✓
Sizes	2300x1400x1400 mm (LxWxH)
Stock	1



Description

Used Bitzer 4PES-10Y-40P (x1) & 4NES-14Y-40P (x2) Compressor unit

Used Rivacold RV4C1103-1 compressor unit on Freon. Complete with a Bitzer 4PES-10Y-40P (x1) & 4NES-14Y-40P (x2) semi-hermetic reciprocating compressors, Ocs cold OCS-08 oil reservoir, Henry Technologies S-1901-CE oil separator, pressure and safety switches/gauges and a control cabinet with a Carel pR100 controller and Carel display. The compressors have a total displacement of 161,1 m³/h. The capacity is based on the use of Freon type: R134A.

*Why choose for HOSBV? Were not only the largest used refrigeration specialist in Europe, but also, we deliver all



equipment including an extensive test,
warranty and industrial cleaning.
*Optional we can also perform a new
paint job and arrange the logistics.









