


York YCAM/B 525

Specifications

Brand	York
Type	YCAM/B 525
Product type	Air Cooled Chiller
Capacity kW	374,0
Capacity Tons	106,3
Refrigerant	Freon
Refrigerant Type	R407C
Weight in kg.	4500
Sizes	4880x2330x2200 mm (LxWxH)
Compressor(s) type & model	2x Refcomp SRC-F-258-L2
Display	York Millennium control center
Number of fans	8
Fan specifications	1,5 kW - 890 RPM
Stock	1



Description

Used York YCAM/B 525

Used York YCAM/B 525 TUV air-cooled chiller on R407C. Complete with 2 Refcomp SRC-F-258-L2 semi-hermetic reciprocating compressors, condenser with 8 fans that produce an total airflow of 158.400 m³/h, shell and tube as evaporator and a control cabinet with a York Millenium controller. The chiller has a capacity of 374 kW at a water leaving temperature of 7°C and a condensing temperature of 35°C. *All components of this used chiller will be tested on adequate performance, leak free condition (condensing blocks, compressors, fans, control panel and so forth). Choosing HOSBV means buying with warranty. We perform a industrial cleaning if requested we can arrange your shipment.



PER IL COLLEGAMENTO MODELLO 24V
N MODELLO 24V CONNECTION
R MODELLO 24V
N FÜR VERBINDERMODELLE 24V
R FÜR VERBINDERMODELLE 24V
PER IL COLLEGAMENTO MODELLO 220V
N MODELLO 220V CONNECTION
R MODELLO 220V
N FÜR VERBINDERMODELLE 220V
R FÜR VERBINDERMODELLE 220V
SCHLÜSSELTERMINALE OHNE STRIP
SCHLÜSSELTERMINALE OHNE STRIP
MOMENTI-TERMINALE BY CUSTOMER
MOMENTI-TERMINALE BY CUSTOMER
PARTS-BAUSETZE ANSCHLÜSS KLEMMEN
PARTS-BAUSETZE ANSCHLÜSS KLEMMEN

SICHERUNG
WATER-WIDERSTAND

COD. 035860011-050/-

York

CE

MODELLO
MODEL YCAM B 525 TUV

MATRICOLA
SERIAL NUMBER 1088892001

CARICA REFR.
REFRIGERANT CHARGE 407C Kg 15

DATI ELETTRICI
ELECTRICAL DATA

ALIM. POTENZA MAIN SUPPLY	400	3	50
ALIM. AUSILIARIA AUXILIARY SUPPLY	230	1	50
CORRENTE DI SPUNTO INrush	A 734		
CORRENTE A PIENO CARICO FULL LOAD	A 323		
POTENZA ASSORBITA POWER INPUT	Kw 170		
PRESS. ESERC. ACQUA WATER OPERATION PRESSURE	bar 10		
MASCA WEIGHT	Kg 4500		

CERTIFICATO DI COLLAUDO PRODOTTORE
YORK - PRODUCTION TEST CERTIFICATE
UNITA' APPL-APPL/APPL-APPL - SERVOCENTRALI D
YCAM B 525 TUV COO. 462815105
CHILLER
108892001
1599

DESCRIZIONE DEI CONTROLLI
DESCRIPTION OF QUALITY CHECK

- 01 VERIFICA ASSEMBLAGGIO COMPLETE
VERIFY ASSEMBLY COMPLETE
- 02 VERIFICA VISIVA CABLAGGI COLLETTORI ELETTRICI E CONNESSIONI
VERIFY WIRING CONNECTIONS
- 03 VUOTO E CARICA REFRIGERANTE
REF. VACUUM AND CHARGE TEST
- 04 VERIFICA CON CERCAFUOGHE TEMPERATURA PRESSIONE E CORRENTE
CHECK ELECTRICAL CIRCUIT PRIOR TO REFRIGERANT LEAK TEST
- 05 PROVE FUNZIONALI CON RILEVAMENTO TEMPERATURE/PRESSIONI-RUN FUNCTION AND RUN TEST
- 06 VERIFICA INTERVENTI SICUREZZA OPERAZIONE E TEMPERATURA CHECK OPERATION AND SAFETY DEVICES
- 07 VERIFICA TENUTA CIRCUITO E FUNZIONAMENTO POMPA (SU RICHIESTA)
CHECK OPERATION AND SAFETY DEVICES
- 08 VERIFICA MONTAGGIO ACCESSORI PER PREVISI E DOCUMENTAZIONE CHECK ACCESSORIES/DOCUMENTATION
- 09 CONTROLLO ESTETICO FINALE E PULIZIA INTERNA VISUAL CHECK FOR DIRT AND DAMAGE



