

Grundfos CRN10-22 A-FGJ-G-E-HQQE

Specifications

Brand	Grundfos
Type	CRN10-22 A-FGJ-G-E-HQQE
Volume flow Q max. (m ³ /h)	10,0
Delivery height H max. (m)	225,0
Power max. (kW)	7,5
Stock	2



Description

Used Grundfos CRN10-22 A-FGJ-G-E-HQQE

Used Grundfos CRN10-22 A-FGJ-G-E-HQQE water pump with Grundfos MG132SB2-38FF265-H3 electromotor 50/60 Hz - 7,5 kW - 2910-2920/3490-3530 RPM. The pump has with the following specifications: Qmax: 10,0 m³/h - Hmax: 225,0 m - Pmax: 7,5 kW. Dimensions: 1400x340x350 mm (LxWxH) & 112 kg.



Type	CRN10-22 A-FGJ-G-E-HQQE				
Model	A96501300 P31449				
f	50	Hz	P ₂	7,50	kW
n	2919	min ⁻¹	H _{max}	225	m
Q	10	m ³ /h	H	180.6	m
p _{max} /t _{max}	25/120	bar/°C	CCW		
Serial No.	0003	Made in Hungary			
MEI ≥	0.57	η _p (%)	58,9	 GRUNDFOS DK-8850 Bjerringbro, Denmark	



97702205	3~MOT	MG132SB2-38FF265-H3				
	P ₂ 7,50 kW	2 - pole/ S1	No.85U17522			
	50Hz	Δ/Y	U 380-415/660-690 V			
			I _{1/4} 14,4-14,0/8,30-8,10A			
			I _{max} 15,8-15,4/9,15-8,90A			
			cos φ 0,88-0,82			
			n 2910-2920min ⁻¹			
			Eff. IE3 90,1%			
		60Hz	Δ/Y	U 380-480/660-690 V		
				I _{1/4} 14,2-12,0/8,20-8,10A		
			I _{max} 15,6-13,2/9,00-8,90A			
			cos φ 0,90-0,82			
			n 3490-3530min ⁻¹			
			Eff. IE2 89,5% - IE3 90,2%			

