

Bitzer 4TC-12.2Y-40P

Specifications

| | |
|--------------------|---------------------------|
| Brand | Bitzer |
| Type | 4TC-12.2Y-40P |
| Refrigerant | Freon |
| kW at 0°C/+40°C | 33,3 |
| kW at -5°C/+40°C | 27,6 |
| kW at -10°C/+40°C | 22,6 |
| kW at -20°C/+40°C | 14,5 |
| kW at -30°C/+40°C | 8,6 |
| kW at -40°C/+40°C | 4,3 |
| Capacity Control | ✓ |
| Sight Glass | ✓ |
| m ³ / h | 41,3 |
| Remarks | Y.o.b. 2005 |
| Weight in kg. | 144 |
| Sizes | 660x300x420 mm (LxWxH) |
| Stock | 2 |



Description

Used Bitzer 4TC-12.2Y-40P

Used Bitzer 4TC-12.2Y-40P semi-hermetic reciprocating compressor on Freon. The compressor has a displacement of 41,3 m³/h at 50 Hz and 49,9 m³/h at 60 Hz.

*Why choose for HOSBV? We are not only the largest used refrigeration specialist in Europe, but also, we deliver all equipment including an extensive test, warranty, and industrial cleaning. *Optional we can also perform a new paint job and arrange the logistics.



