

Bitzer HSN7461-70-40P (x2) & HSN 7471-75 (x2)

Specifications

Brand	Bitzer
Type	HSN7461-70-40P (x2) & HSN 7471-75 (x2)
Refrigerant	Freon
Refrigerant type	R404A
kW at -20°C/+40°C	470,2
kW at -30°C/+40°C	323,2
kW at -40°C/+40°C	211,0
kW at -45°C/+40°C	165,8
Unloaded Start	✓
Capacity Control	✓
On steel base frame	✓
Pressure safety switches	✓
Hp/Lp/Op	
Pressure gauges	✓
Hp/Lp/Op	
Liquid receiver	✓
Liquid receiver ltr.	250
Oil separator	✓
Liquid line filter drier	✓
Sight Glass	✓
Control panel	✓
m3 / h	940



	y.o.b. 2014 (s. nr:1086202062)
	yo.b. 2000 (s. nr:1587474 & s. nr:15850476)
Package / Rack	Y.o.b. 2018 (s. nr:1086202062)
Sizes	5000x1400x720 mm (LxWxH)
Stock	1

Description

Used Bitzer HSN7461-70-40P (x2) & HSN 7471-75 (x2)

Used Bitzer HSN7461-70-40P (x2) & HSN 7471-75 (x2) semi-hermetic screw compressors rack on Freon. Complete with a Bitzer x2 HSN7461-70-40P & x2 Bitzer HSN 7471-75 semi-hermetic screw compressors, Alfa Laval CB 52-50HX brazed heat exchanger as economizer, Alfa Laval AC120-110EQ brazed heat exchanger for heat recovery, Bitzer OA 9011 oil separator with a volume of 228 liters, C+F RLV 250 liquid receiver with a volume of 250 liters and a control cabinet with a Siemens TD200 controller. The compressors have a displacement of 940 m³/h at 50 Hz & 1128 m³/h at 60 Hz.

*Why choose for HOSBV? We are not only the largest used refrigeration specialist in Europe, but also, we deliver all equipment including an extensive test, warranty and an industrial cleaning. *Optionally we can also perform a new paint job and arrange the logistics.











