

# Sabroe TSMC 108 S

## Specifications

Brand	Sabroe
Type	TSMC 108 S
Refrigerant	Freon
kW at -40°C/+40°C	45,8
kW at -45°C/+40°C	36,3
Unloaded Start	✓
Capacity Control	✓
On steel base frame	✓
Pressure safety switches	✓
Hp/Lp/Op	
Pressure gauges	✓
Hp/Lp/Op	
Oil separator	✓
Sight Glass	✓
Solenoid Valve	✓
m <sup>3</sup> / h	339,0
Remarks	Y.o.b. 2002
Sizes	2080x1050x1460 mm (LxWxH)
Stock	1



## Description

### Used Sabroe TSMC 108 S

Used Sabroe TSMC 108 S open-type two stage reciprocating compressor on Freon. Complete with a Schorch KN7225M-CB01B-Z electric motor - 50/60 Hz - 37/42,5 kW - 975/1175 RPM, Sabroe OVUR 2106D oil separator with a volume of 15 liter, pressure and safety switches/gauges. The compressor has a displacement of 339 m<sup>3</sup>/h.

\*Why choose for HOSBV? We are not only the largest used refrigeration specialist in Europe, but also, we deliver all equipment solely if it has passed our extensive test. Warranty and industrial cleaning are included in your purchase. \*If requested we are happy to arrange your shipment.





