

# Bitzer 2JSL-2K-40S (x1) & 4HTEU-20LK-40S (x1) & 4FTE-20K-40P (x1)

## Specifications

|                      |  |
|----------------------|--|
| Brand                | Bitzer   |
| Type                 | 2JSL-2K-40S (x1) & 4HTEU-20LK-40S (x1) & 4FTE-20K-40P (x1) |
| Refrigerant          | CO2  |
| Refrigerant type     | R744   |
| kW at -20°C/+40°C    | 84,3*  |
| On steel base frame  | ✓  |
| Pressure gauges      | ✓  |
| Hp/Lp/Op             |  |
| Liquid receiver      | ✓  |
| Liquid receiver ltr. | 133  |
| Oil separator        | ✓  |
| Sight Glass          | ✓  |
| Control panel        | ✓  |
| m3 / h               | 33,4   |
| Remarks              | Y.o.b. 2023  |



|                       |   |
|-----------------------|---|
|                       | cooler outlet temp. of 0°C  |
| <b>Rackage / Rack</b> | *Capacity based on the  |
| <b>Sizes</b>          | 2JSL-2K-40S, 4HTEU-20LK-40S, 4FTE-20K-40P compressor (ind. ext.)                  |
| <b>Stock</b>          | at 0°C & capacity based on the 4HTEU-20LK-40S & 4FTE-20K-40P compressors at a gas |

## Description

### Used Bitzer 2JSL-2K-40S (x1) & 4HTEU-20LK-40S (x1) & 4FTE-20K-40P (x1)

New Bitzer compressor rack on CO2 (R744). Complete with a Bitzer 2JSL-2K-40S (x1) & 4HTEU-20LK-40S (x1) & 4FTE-20K-40P (x1) semi-hermetic reciprocating compressors. Further the set comes with a Frigomec RC0355.178.133.80 liquid receiver with a volume of 133 liters, oil separator, brazed heat exchanger, Eco Modine CGS12EH3.4443 evaporator, pressure and safety gauges, ABB ACH580-01-0945-4+J400 frequency converter and a control cabinet with Danfoss MMIGRS2 controller.

\*Why choose for HOSBV? We're not only the largest used refrigeration specialist in Europe, but also, we deliver all equipment including an extensive test, warranty and industrial cleaning.

\*Optional we can also perform a new paint job and arrange the logistics.









