

# Bitzer 4FE-28Y-40P Condensing unit

## Specifications

Brand	Bitzer
Type	4FE-28Y-40P Condensing unit
Refrigerant	Freon
kW at 0°C/+40°C	84,4
kW at -5°C/+40°C	70,5
kW at -10°C/+40°C	58,4
kW at -20°C/+40°C	38,7
kW at -30°C/+40°C	24,2
kW at -40°C/+40°C	13,6
kW at -45°C/+40°C	9,6
Capacity Control	✓
On steel base frame	✓
Pressure safety switches	✓
Hp/Lp/Op	
Liquid receiver	✓
Liquid receiver ltr.	47,2
Liquid line filter drier	✓
Sight Glass	✓
Solenoid Valve	✓
Control panel	✓
m <sup>3</sup> / h	50 Hz - 101,8 m <sup>3</sup> /h & 60 Hz - 121,3 m <sup>3</sup> /h
Remarks	Y.o.b. 2017
Condensing Unit	✓
Sizes	2500x1000x1900 mm (LxWxH)



Stock

1

## Description

### **Used Bitzer 4FE-28Y-40P Condensing unit**

Used Bitzer condensing unit on Freon. Complete with Bitzer 4FE-28Y-40P semi-hermetic reciprocating compressor, condenser with 8 EBM-Papst S4E400-AP02-83 fans - 50/60 Hz - 0,16/0,24 kW - 1430/1700 RPM - diameter 400 mm, Frigo-mec F90+SV(M42/R9) liquid receiver with a volume of 47 liter, pressure and safety switches and a control cabinet. The compressor has a displacement of 101,8 m<sup>3</sup>/h at 50 Hz & 121,3 m<sup>3</sup>/h at 60 Hz.

\*Why choose for HOSBV? We are not only the largest used refrigeration specialist in Europe, but also, we deliver all equipment including an extensive test, warranty and an industrial cleaning. \*Optionally we can also perform a new paint job and arrange the logistics.





