

SRM ACC01H14 / SRS-14S

Specifications

Brand	SRM
Type	ACC01H14 / SRS-14S
Product type	Air Cooled Chiller (split-unit)
Capacity kW	478,0
Capacity Tons	135,9
Refrigerant	NH 3 (ammonia)
Refrigerant Type	R717
Pump	✓
Sizes	Compressor & condenser set: 13.000x2.343x4.600 mm (LxWxH) Water pump set: 3.500x2.300x2.170 mm (LxWxH)
Compressor(s) type & model	SRM SRS-14S semi-hermetic screw compressor
Display	Siemens TP700 Comfort
Number of fans	10
Remarks	Y.o.b. 2020
Remarks	The chiller comes with all declarations and certificates.
Stock	1



Description

Used SRM ACC01H14 / SRS-14S

New SRM SRS-14S air-cooled split NH3 chiller built in 2020. Complete with a SRM SRS-14S semi-hermetic screw compressor, shell and tube evaporator, oil separator, liquid receiver, pressure and safety switches/gauges, 2 water pumps and a control cabinet with a Danfoss frequency drive and Siemens TP700 Comfort controller.

Further there is a Onda CVN9110 B2+3BMD air-cooled condenser. Complete with 10 fans. This condenser also provides oil cooling.

The chiller has a capacity of 478 kW at an water inlet/outlet temperature of 12°C/7°C and comes with all declarations and certificates.



*All components of this used chiller will be tested on adequate performance, leak free condition (condensing blocks, compressors, fans, control panel and so forth). Choosing HOSBV means buying with warranty. We perform a industrial cleaning if requested we can arrange your shipment.



Totaalconceptbouw		Kenplaat Koelinstallatie	
SCM REF		CE 1242	
Type installatie:	ACC01H14 Chiller	Alpersdruk Hd/Ld (P ₀):	Bar
Project nr.:	80500041	Min./Max.toelaatbare werkdruk Hd-zijde (P _s):	-1 / 25 Bar
Prod datum:	8-7-2020	Min./Max.toelaatbare werkdruk Ld-zijde (P _s):	-1 / 17 Bar
Koudemiddel:	R717	Ontwerptemperatuur Hd-zijde (T _s):	-15/+100°C
Koelvermogen I:	Kw bij / °C	Ontwerptemperatuur Ld-zijde (T _s):	-10/+55 °C
Koelvermogen II:	Kw bij / °C	PED categorie:	IV











