

Sabroe SAB 163 HF MK 2 (x2)

Specifications

Brand	Sabroe
Туре	SAB 163 HF MK 2 (x2)
Refrigerant	NH 3 (ammonia)
kW at -10°C/+40°C	1197
kW at -20°C/+40°C	770,2
kW at -30°C/+40°C	467,2
kW at -40°C/+40°C	260,2
Electromotor Specs	75 kW at 2955 RPM
Unloaded Start	/
Capacity Control	/
On steel base frame	/
Pressure safety switches	/
Hp/Lp/Op	
Oil separator	/
Solenoid Valve	/
Control panel	/
Remarks	# Including Unisab S-
	controls // Electromotor:
	75 kW at 2955 RPM
Package / Rack	/
Sizes	2300x3000x2150 mm
	(LxWxH)
Stock	1



Description

Used Sabroe SAB 163 HF MK 2 (x2)

Used Sabroe SAB 163 HF MK 2 (x2) ammonia compressor rack, complete with unloaded start, capacity control, pressure safety switches, oil separator, solenoid valve and control panel. This unit has a cooling capacity of 1197 kW at $-10^{\circ}\text{C}/+40^{\circ}\text{C}$.

Why choose for HOSBV? Were not only the largest used refrigeration specialist in Europe, but also, we deliver all equipment including an extensive test, warranty and deliver after an industrial cleaning. *If requested we are happy to arrange your logistics.































Your partner for used commercial and industrial refrigeration equipment





