Carrier 30 SZ 036

Specifications

Brand	Carrier
Type	30 SZ 036
Product type	Water Cooled Chiller
Capacity kW	112
Capacity Tons	31,8
Refrigerant	Freon
Refrigerant Type	R407C
Weight in kg.	530 kg.
Sizes	1080x1060x910 mm (LxWxH)
Remarks |	y.o.b. 2000 // 1x Compressor Carrier 06ZT 199 // Incl. 2x heat exchanger
More info?	See attachment as an .pdf file
Stock	1

Description

Used Carrier 30 SZ 036

803793
Carrier

803793
NAAMPLAAT
KOELINSTALLATIE


PRO-DIALOG
Carrier




N° DE MODELE-MODEL N -TYP-
30SZ-036---901--EE--
N° DE SERIE-SERIAL N -FABR Nr.
12N000518
ANNEE-YEAR-BAUJAHR-
2000
CE
PRESSION MAX. FONCTION- COTE H.P-MAX. OPERATING PRESS- HIGH SIDE
ZULÄSSIGER BETRIEBSÜBERDRUCK - HOCHDRUCKSEITE
27,00 bar
PRESSION MAX. FONCTION- COTE B.P-MAX. OPERATING PRESS- LOW SIDE
ZULÄSSIGER BETRIEBSÜBERDRUCK - NEIDREDRUCHKSEITE
19,00 bar
FLUIDE - REFRIGERANT - KÄLTEMITTEL
R 407C
CHARGE CIRCUIT 1
FÜLLMENGE KREISLAUF 1
11,60 kg
CHARGE CIRCUIT 2
FÜLLMENGE KREISLAUF 2
/ kg
TENSION
VOLTAGE
SPANNUNG
400 V + 10 - 10 % PHASES 3
FREQUENCE
CYCLES
FREQUENZ
~ 50 Hz
I. MAXIMALE
MAXIMUM AMPS
MAXIMALER STROM
/ 70,1 A
PUISSANCE ABSORBEE
POWER INPUT
LEISTUNGSAUFNAHME
/ 40,7 kW
POIDS NET
NET WEIGHT
NETTOGEWICHT
530 kg
DRUCKBEH. GRUPPE II,V
/
Carrier
MANUFACTURED IN FRANCE BY
CARRIER s.a.
01120-MONTLUEL-FRANCE
A SUBSIDIARY OF CARRIER CORPORATION SYRACUSE NEW YORK UNITED STATES OF AMERICA
THE QUALITY AND ENVIRONMENTAL MANAGEMENT
DOC.
suivant
SERIE

MODEL N°
SERIAL N°
MOTOR N°
06ZT
LCF
VOLTS
PH
FREQ.
KW.
F.L.A.
L.R.A.
SYN R.P.M.
380
3
50
1500
REFRIGERANT
TEST
K.Pa.
3400
1700
230 V. DESIGNED FOR USE ON 220 TO 240 V. SYSTEMS
400 V. DESIGNED FOR USE ON 380 TO 415 V. SYSTEMS
SERVICE REPLACEMENT COMPRESSOR
CARRIER BV RIJNDIJK 141 HAZERZWOUDE HOLLAND