

## **Bitzer 4N.2 Condensing unit**

### **Specifications**

Brand	Bitzer
Туре	4N.2 Condensing unit
Refrigerant	Freon
kW at +10°C/+40°C	62,1*
kW at 0ºC/+40ºC	47,9
kW at -5ºC/+40ºC	39,9
kW at -10°C/+40°C	32,9
kW at -20°C/+40°C	21,7
kW at -30°C/+40°C	13,4
kW at -40°C/+40°C	7,5
Unloaded Start	✓
On steel base frame	/
Pressure safety switches	✓
Hp/Lp/Op	
Liquid receiver	✓
Liquid receiver ltr.	55
Control panel	/
Remarks	*Capacity based on
	+7.5°C/+40°C
Remarks	R404a - R22 or other
	freon types
Condensing Unit	✓
Sizes	1950x750x1850 mm
	(LxWxH)
Stock	1



#### **Description**

#### **Used Bitzer 4N.2 Condensing unit**

Used Bitzer 4N.2 freon condensing unit, complete with unloaded start, pressure safety switches, control panel and liquid receiver with a volume of 55 liters. This unit has a cooling capacity of 62,1 kW at +7.5°C/+40°C.

Why choose for HOSBV? Were not only the largest used refrigeration specialist in Europe, but also, we deliver all equipment including an extensive test, warranty and deliver after an industrial cleaning. \*If requested we are happy to arrange your logistics.



## Your partner for used commercial and industrial refrigeration equipment











# Your partner for used commercial and industrial refrigeration equipment





**HOS BV** www.hosbv.com info@hosbv.com (+31) (0)23-5404237