

Bitzer 4V-6.2

Specifications

Brand	Bitzer
Type	4V-6.2
Refrigerant	Freon
kW at -5°C/+40°C	22,2
kW at -10°C/+40°C	18,2
kW at -20°C/+40°C	11,8
kW at -30°C/+40°C	7,1
kW at -40°C/+40°C	3,7
Capacity Control	✓
On steel base frame	✓
Pressure safety switches	✓
Hp/Lp/Op	
Pressure gauges	✓
Hp/Lp/Op	
Liquid receiver	✓
Liquid receiver ltr.	30
Liquid line filter drier	✓
Sight Glass	✓
Remarks	# // y.o.b. 2000 (2x)
Remarks	R404a - R22 or other freon types
Sizes	1200x550x1500 mm (LxWxH)
Stock	2



Description

Used Bitzer 4V-6.2

Used Bitzer 4V-6.2 freon compressor, complete with capacity control, pressure safety switches, pressure gauges, liquid line filter drier, sight glass and a liquid receiver with a volume of 30 liters.

*Why choose for HOSBV? Were not only the largest used refrigeration specialist in Europe, but also, we deliver all equipment including an extensive test, warranty and industrial cleaning.

*Optional we can also perform a new paint job and arrange the logistics.





