

# Mycom F2520SSC-51

## Specifications

Brand	Mycom
Type	F2520SSC-51
Refrigerant	NH 3 (ammonia)
kW at -20°C/+40°C	653,6*
kW at -30°C/+40°C	546,5
kW at -40°C/+40°C	311
Electromotor Specs	250
Unloaded Start	✓
Capacity Control	✓
On steel base frame	✓
Pressure safety switches	✓
Hp/Lp/Op	
Pressure gauges	✓
Hp/Lp/Op	
Oil separator	✓
Control panel	✓
Remarks	# // *Capacity based on -25°C/+40°C // Electromotor: 250 kW at 2970 RPM
Package / Rack	✓
Sizes	5000x2100x3000 mm (LxWxH)
Stock	1



## Description

### Used Mycom F2520SSC-51

Used Mycom F2520SSC-51 screw compressor unit. This unit has the following components: 1x Electromotor Leroy Somer PLS315L-T (250 kW at 2970 RPM), 1x Mycom M50P oil pump, oil separator and control panel.

Compressor unit has run on -45°C/+35°C (300 kW).

\*Why choose for HOSBV? Were not only the largest used refrigeration specialist in Europe, but also, we deliver all equipment including an extensive test, warranty and industrial cleaning.

\*Optional we can also perform a new paint job and arrange the logistics.











