

Profroid C7AH 5MS3SL

Specifications

Profroid
C7AH 5MS3SL
Air Cooled Condenser
173,6
5
380
Freon
37.750
800 mm
460
71 dm³
7320x1120x1500
690 kg
1



Description

Used Profroid C7AH 5MS3SL

Used Profroid C7AH 5MS3SL air cooled condensor. complete with 5 Profroid fans 50 Hz - 0,12 kW - 380 RPM. Sound level 32 dB(a) at a distance of 10 meters.

*All components of this used condensors will be tested on good working, leak free condition (electro engines), condensing block, bearings. Choosing HOSBV means buying with warranty. We perform a industrial cleaning and rust spots will be covered. Also, we can arrange your shipment.



Your partner for used commercial and industrial refrigeration equipment











PR	OFRO		03382	3~CM290	G/T	
Summer and	n - Company and a company	IV.	220976/010	A DESCRIPTION OF THE OWNER OWNER OF THE OWNER OWNER OF THE OWNER OWNE		lt
MAL	E IN HUNGAR	IF	55 Isol	CI.F	50°C amb.	SI
Δ.	400V	50Hz	450min-1			1,9/
Y	400V	50Hz	380min-1	0,12kW	cos(0,55	C,72
Δ	230V	50Hz	380min-1	0,12kW	cosφ0,55	1;25
	V	Hz	min-1	kW	cosφ	,1
*	Ser. V	Hz	min-1	kW	cosφ	1



Your partner for used commercial and industrial refrigeration equipment

