

Mycom FM 160S-ME

Specifications

Brand	Mycom
Type	FM 160S-ME
Refrigerant	Freon
Refrigerant type	R507A or other types
kW at -10°C/+40°C	246
kW at -20°C/+40°C	163,9
kW at -30°C/+40°C	103,8
kW at -40°C/+40°C	61
Electromotor Specs	110 kW at 2960 RPM by Leroy Somer
Unloaded Start	✓
Capacity Control	✓
On steel base frame	✓
Pressure gauges	✓
Hp/Lp/Op	
Liquid receiver	✓
Liquid receiver ltr.	465
Suction accumulator	✓
Oil separator	✓
Oil level system AC&R	✓
Liquid line filter drier	✓
Solenoid Valve	✓
Control panel	✓



	mm (LxØ) / Control panel: compressor regulation, relais, head switch etc.
Size	1100x1050x1950 mm
Remarks	Freon!! / 2x heat exchanger / Oil separator: +/- 1100x600
Stock	

Description

Used Mycom FM 160S-ME

Used Mycom FM 160S-ME freon compressor, complete with unloaded start, capacity control, pressure gauges, suction accumulator, oil separator, oil level system, liquid line filter drier, solenoid valve, control panel and liquid receiver with a volume of 465 liters. This unit has a cooling capacity of 246 kW at -10°C/+40°C.

Why choose for HOSBV? Were not only the largest used refrigeration specialist in Europe, but also, we deliver all equipment including an extensive test, warranty and industrial cleaning.

*Optional we can also perform a new paint job and arrange the logistics.





