

# **Helpman PX 4-7**

## **Specifications**

Brand	Helpman
Туре	PX 4-7
kW	6
Refrigerant	Freon
Number of Fans	4
Fin Space in mm	7
Defrosting	None
m³/h	4000
Remarks	fan 0.03kW and 1255
	RPM at 50Hz
Remarks	23 m2
Volume	6.8 dm3
Weight	66 kg
Stock	1



### **Description**

#### **Used Helpman PX 4-7**

Used Low height air cooler build by Helpman type PX 4-7 with 6kW and 4000 m3/h, 23m2 and 6.8dm3. \*All components of this used evaporator will be tested on good working, leak free condition (electro engines), coils, bearings) Choosing HOSBV means buying with warranty. We perform a industrial cleaning. Also, we can arrange your shipment.


info@hosbv.com



# Your partner for used commercial and industrial refrigeration equipment









Koeler- model	Capaciteiten R404A / R507A (kW)						Ventilatore	n					
	Berijpt t <sub>0</sub> =-8°C	Droog t <sub>0</sub> =-8°C	Lucht- hoev. m <sup>3</sup> /h	Koel- opp. m <sup>2</sup>	Inw. vol. dm <sup>3</sup>	Gewicht ka	Aantal	Diam.	Vermogen W* nom./opgenomen 230/1 400/3	genomen	Worp	Geluids- niveau dB(A)	Kabel- invoer wartels
	DT <sub>1</sub> =8K	DT <sub>1</sub> =8K	m-/h										
PX 1-7	1.4	1.2	1000	5.7	1.7	17	1	254	30/80	30/65	10	48	2 x M20 x 1.5
PX 2-7	2.9	2.5	2000	11.5	3.4	33	2	254	30/80	30/65	10	51	2 x M20 x 1.5
PX 3-7	4.5	3.9	3000	17.2	5.1	50	3	254	30/80	30/65	10	53	2 x M20 x 1.5
PX 4-7	6.0	5.2	4000	23.0	6.8	66	4	254	30/80	30/65	10	54	2 x M20 x 1.5
PX 5-7	7.4	6.4	5000	28.7	8.5	73	5	254	30/80	30/65	10	55	2 x M20 x 1.5
PX 6-7	8.8	7.7	6000	34.5	10.2	90	6	254	30/80	30/65	10	56	2 x M20 x 1.5

Vermogen per motor. Het opgenomen vermogen van de ventilatoren is een laboratoriumwaarde ge Afhankelijk van de condities ter plaatse dient men rekening te houden met mogelijke afwijkingen.

Afmetingen

info@hosbv.com