

# Bitzer HSN 5363-30 (x2) Freezing package

#### **Specifications**

Brand	Bitzer
Туре	HSN 5363-30 (x2)
	Freezing package
Refrigerant	Freon
kW at -20ºC/+40ºC	83,7
kW at -30ºC/+40ºC	52,1
kW at -40ºC/+40ºC	30,3
kW at -45ºC/+40ºC	22,3
On steel base frame	✓
Pressure safety switches	✓
Hp/Lp/Op	
Pressure gauges	✓
Hp/Lp/Op	
Liquid receiver	✓
Liquid receiver ltr.	260
Oil separator	✓
Sight Glass	✓
Control panel	✓
Remarks	Please note: we will only
	offer this as complete
	blastfreezing solution
	with capacity matching
	condensor and
	evaporators.
Package / Rack	✓





Sizes	2600x1650x1650 mm	
Stock	1	Description
		Used Bitzer HSN 5363-30 (x2) Freezing package
		Used Bitzer freezing package containing the following elements 2x Bitzer HSN 5363-30 screw compressors. Oil separator Bitzer 40 ltr, liquid receiver Ovda 260 ltr, PHE and expansion vassel.
		Please note: we will only offer this as complete blastfreezing solution with capacity matching condensor and evaporators.
		*Why choose for HOSBV? Were not only the largest used refrigeration specialist in Europe, but also, we deliver all equipment including an extensive test, warranty and industrial cleaning. *Optional we can also arrange the logistics.

I




























1	CAL		abilimento / Fa i dell'Artigianat 045 LONIGO - VI	
	TERMOMECC		500	fax 0 444-835708
	N. Fabbrica / Work N.20	)/ Matric	ola/Matr. N. 62	NU/9541
	Anno / Year2 46 = 1, 0 4	= 96 Baum	usterkennzeichen	S. S.
	Modello / Model RL 7	-258/\$		
	SPE			
	IS L			
	(Cod.targa: M600210)	Lato / Side	Manféllo / Sheli	Tubi / Tubes x
	(Cod.targa: M600210) Temp. di progetto / Design		Manfello / Shell	Tubi / Tubes x
	Temp. di progetto / Design Pressione di progetto			Tubi / Tubes X
	Temp. di progetto / Design	temperature °C	-10+100	Tubi / Tubes x
	Temp. di progetto / Design Pressione di progetto bar	temperature °C Sopra Above - 10°C Sotto 10°C	-10+100	Tubi / Tubes X





