

Helpman PX 3-7-R

Specifications

Brand	Helpman
Туре	PX 3-7-R
kW	4.5
Refrigerant	Freon
Number of Fans	3
Fin Space in mm	7
Defrosting	None
m³/h	3000
m³/h Remarks	3000 17.2 m2
Remarks	17.2 m2



Description

Used Helpman PX 3-7-R

Used Low height air coolers build by Helpman type PX 3-7-R with 4.5kW and 3000 m3/h, 17.2m2 and 5.1dm3. *All components of this used evaporator will be tested on good working, leak free condition (electro engines), coils, bearings) Choosing HOSBV means buying with warranty. We perform a industrial cleaning. Also, we can arrange your shipment.



Your partner for used commercial and industrial refrigeration equipment















Your partner for used commercial and industrial refrigeration equipment

Capaciteiten & Lechnische gegevens

	Capaciteiten R404A / R507A (kW)						Ventilatoren						
Koeler- model	Berijpt t ₀ =-8°C DT₁=8K	Droog t ₀ =-8°C DT ₁ =8K	Lucht- hoev. m ³ /h	Koel- opp. m ²	lnw. vol. dm ³	Gewicht kg	Aantal	Diam.	Vermogen W* nom./opgenomen		Worp	Geluids- niveau	Kabel- invoer
									230/1	400/3	m	dB(A)	wartels
PX 1-7	1.4	1.2	1000	5.7	1.7	17	1	254	30/80	30/65	10	48	2 x M20 x 1.5
PX 2-7	2.9	2.5	2000	11.5	3.4	33	2	254	30/80	30/65	10	51	2 x M20 x 1.5
PX 3-7	4.5	3.9	3000	17.2	5.1	50	3	254	30/80	30/65	10	53	2 x M20 x 1.5
PX 4-7	6.0	5.2	4000	23.0	6.8	66	4	254	30/80	30/65	10	54	2 x M20 x 1.5
PX 5-7	7.4	6.4	5000	28.7	8.5	73	5	254	30/80	30/65	10	55	2 x M20 x 1.5
PX 6-7	8.8	7.7	6000	34.5	10.2	90	6	254	30/80	30/65	10	56	2 x M20 x 1.5

Vermogen per motor. Het opgenomen vermogen van de ventilatoren is een laboratoriumwaarde gemeten bij een omgevingstemperatuur van 20 °C.
Afhankelijk van de condities ter plaatse dient men rekening te houden met mogelijke afwijkingen.

Afmetingen



HOS BV www.hosbv.com info@hosbv.com (+31) (0)23-5404237