

Goedhart PLK.S 373M2

Specifications

Marka	Goedhart
Typ	PLK.S 373M2
Ogólna wydajność w kW	110*
Czynnik chłodzący	CO2
Liczba wentylatorów	4
Średnica wentylatora mm	10
Rozmrażanie	Water
Przepływ powietrza w m ³ /h	44.000
Rozmiary	4760x1120x1370 mm (LxWxH)
Uwagi	Y.o.b. 2004; 373 m ² cooling surface; 90 kW defrost capacity
Remarks	*Capacity based on a CO2 evaporation temperature of -9°C and a air inlet temperature of +2°C
Volume	145 dm ³
Waga	775 kg
Stock	3



Description

Used Goedhart PLK.S 373M2

Used Goedhart PLK.S 373M2 evaporator for CO2. The evaporator has a cooling surface of 373 m² and a inner volume of 145 dm³. Furthermore the evaporator has one glycol/water defrost circuit for the block (80 kW) and a separate one for the drip tray (10 kW). Complete with 4 Woods 2100-PBL fans - 50 Hz - 0,91 kW - 1350 RPM - diameter 630 mm and a total airflow of 44.000 m³/h. This evaporator was built in 2004.

*All components of this used evaporator will be tested on good working, leak free condition (electro engines), coils, bearings) Choosing HOSBV means buying with warranty. We perform a industrial cleaning. Also, we can arrange your shipment.





